

## **Aquno Select**


Kitchen Faucet, 2-Spray Pull-Out with sBox, 1.75 GPM Finishes: stainless steel finish Part no.: 73830801




## Description

## **Features**

- · Consists of: Single lever kitchen mixer
- · Swivel range adjustable in 3 steps: 60°, 110° or 150°
- · Laminar spray, SatinFlow
- Change between SatinFlow and pull-out sprayer at the touch of a button
- · MagFit magnetic sprayhead docking
- Single-hole installation, recommendation: the middle of tap hole drilling should be max. 45 mm from the back side of of the bowl
- · Flow: 1.75 GPM (6.6 L/Min)
- · Ceramic cartridge
- · 3/8" connections
- · Integrated double backflow prevention
- sBox for smooth, protected hose guidance in the cabinet
- · extension length up to 30" (76cm)
- 1 %" Mounting hole required, recommendation: the middle of tap hole drilling should be max. 45 mm from the back side of of the bowl
- · Single lever kitchen mixer, sBox, Assembly instructions










**Aquno Select** 

Kitchen Faucet, 2-Spray Pull-Out with sBox, 1.75 GPM Finishes: stainless steel finish Part no.: 73830801







## **Aquno Select**

Kitchen Faucet, 2-Spray Pull-Out with sBox, 1.75 GPM Finishes: stainless steel finish Part no.: 73830801



Spare parts list Year of production: >06/20				
1	handspray	93751801	-	1
2	non return valve DW 10	96456000	-	1
3	spray former	93748001	-	1
4	service tool	93750000	-	1
5	hose	93815000	-	1
6	O-ring 8x2	98112000	-	1
7	set of lever collars	98365000	-	1
8	O-ring 19x2	98426000	-	1
9	spray head cpl.	93781800	-	1
10	O-ring 10x2	98170000	-	1
11	handle	93776800	-	1
12	nut	92926000	-	1
13	cartridge, assy	93183000	-	1
14	cover	93777800	-	1
15	spring with sleeve	93782000	-	1
16	selector assy	93558000	-	1
17	support	97523000	-	1
18	fixing set (Ø 34)	95049000	-	1
19	lever collar	97548000	-	1
20	connection hose 900 mm M10x1 G3/8	93780000	-	1
21	O-ring 8x1,75	97827000	-	1
22	adapter for connection hose	88802000	-	1
23	connection hose 450 mm M10x1 G3/8	96507000	-	1
24	squeezing connection	96099000	-	1
25	extension set	43333000	-	1